



**Radiological Water Testing Packages**  
**Question – Call 570-335-1947**  
**<http://www.water-research.net>**

**Standard Screening Tests (Kit 7000)**

<u>Parameters</u>	<u>MDL*</u>
Gross Alpha	3.0 pCi/L
Gross Beta	4.0 pCi/L
Uranium	0.001 mg/L

**Standard Testing Package (Kit 7001)**

<u>Parameters</u>	<u>MDL*</u>
Gross Alpha	3.0 pCi/L
Gross Beta	4.0 pCi/L
Uranium	0.001 mg/L
Radon in Water	50 pCi/L

**Deluxe Testing Package (Kit 7002)**

<u>Parameters</u>	<u>MDL*</u>
Gross Alpha	3.0 pCi/L
Gross Beta	4.0 pCi/L
Uranium	0.001 mg/L
Radon in Water	50 pCi/L
Radium – 226	1.0 pCi/L
Radium – 228	1.0 pCi/L

MDL – Method Detection Limit.  
pCi/L – Picocuries per liter.

[For more information on Radionuclides in Water](#)

Radon in Water - <http://www.water-research.net/radonwater.htm>

Radiological Contaminants - <http://www.water-research.net/radionuclides.htm>

**IS YOUR DRINKING WATER HEALTHY & SAFE?**  
**Act Now Visit the Water Research Center at [www.water-research.net](http://www.water-research.net)**

- Free – Information on Drinking Water Quality
- Informational Water Testing Program by Mail
- Certified – Chain-of Custody Baseline
- Testing Related to Natural Gas Development

**BF** Environmental Consultants, Inc.  
**Mr. Brian Oram**  
Professional Geologist, Water Expert  
Independent Baseline Testing  
570-335-1947 | [bfenviro@ptd.net](mailto:bfenviro@ptd.net)  
[www.bfenvironmental.com](http://www.bfenvironmental.com)

To Learn More – <http://www.water-research.net>

**Note:** The Testing Packages are intended to be used as informational screening packages and may not be used for regulatory! If you need certified baseline testing – please contact Mr. Brian Oram, [bfenviro@ptd.net](mailto:bfenviro@ptd.net)